

Garment Printer Ink

375 Oser Avenue

Hauppauge, NY 11788

(631) 858-0114 | sales@garmentprinterink.com



PRE-INSTALLATION CHECKLIST

Roland TrueVis AP-640 | Resin / Latex Printer

Congratulations on your printer purchase! We know you are excited to get going. To create the best experience possible, please read, initial, sign, and send back this checklist / site survey so that we can make sure everything is in place before installation is scheduled.

Business / Contact Name: _____

Email Address: _____

Phone Number: _____

Installation Address: _____

IMPORTANT DELIVERY NOTICE:

All printers are shipped freight, CURBSIDE DELIVERY.

It is the customer's responsibility to move their equipment into their desired location. In most scenarios you will need four to six (4-6) people to assist with lifting and transporting the printer.


You may require tools for uncrating (like a forklift, pallet jack, dolly or rolling cart, crowbar). You will be called in advance by the shipping company to schedule delivery, so please plan accordingly.

If you require rigging, please request a quote before your printer has shipped.

Printer Dimensions

Width	113.7 in (2,886 mm)
Depth	33 in (836 mm)
Height	61.1 in (1,550 mm)
Weight	587 lb (266 kg)

The space shown in the figure below is required in order to use this machine.



A	177.2 in (4,500 mm)
B	137.8 in (3,500 mm)
C	39.4 in (1,000 mm)
D	78.7 in (2,000 mm)
E	UNIT
F	UNIT SPACE
G	WORK SPACE

Printer Area Requirements:

Recommended print area requirements as described have been acknowledged and fulfilled

Initials

--

Doorways / entrances must be greater than 34" wide

DO NOT TURN YOUR PRINTER UPRIGHT OR SIDEWAYS:


Your printer cannot be tilted, turned on its back or stood on end in any way otherwise it may void the warranty

Installation: Attaching Printer to Stand

Moving and attaching your printer and stand will require six (6) people to lift your equipment. Failure to observe this instruction may cause the machine to fall over, resulting in injury.

Please plan accordingly to have extra people present during your scheduled install appointment

See diagram below for refence on how our techs and your team will safely move your equipment



Installation Requirements:

Recommended support requirements for lifting as described above have been acknowledged

Initials

--

Network

Network: Ethernet (100BASE-TX/1000BASE-T, automatic switching)

ETHERNET CORD NOT PROVIDED WITH PRINTER

Initials

Printer Climate Requirements

The dedicated area for your printer must be climate controlled

- Temperature: 68 to 77 °F (20 to 25 °C),
- Humidity: 40 to 60 %RH (no condensation)
- Dust Level: Equivalent to a general office floor level

Initials

Installation SHOULD NOT take place in

- Direct sunlight
- Uneven surface
- High vibration area
- In direct line of an air conditioner / open flame
- Within high dust production / area with harmful chemicals

Initials

Power Requirements

Rated Input

- Printer: 200-240 Va.c. 50/60 Hz 3 A
- Dryer 1: 200-240 Va.c. 50/60 Hz 10 A
- Dryer 2: 200-240 Va.c. 50/60 Hz 10 A

Initials

The power supply voltage for this machine is 200 to 240 V. Three power cords are used and provided with printer: one for the printer and two for the dryer. Connect each power cord to a different circuit breaker when using this machine.

Technology Requirements

Recommended system (computer used to operate printer must meet or exceed these specifications)

Operating System	Windows 10, 8.1, 7 (32-bit edition/64-bit edition)
CPU	2.0 GHz or faster Intel Core 2 Duo recommended
Memory	Memory (RAM): 8 GB or more recommended
HDD	40 GB or more recommended of free hard drive space
Interface	USB2.0 *3, Ethernet *4

Initials

Supply Requirements

To ensure a smooth and efficient installation of your AP-640, please have the following supplies ready and on-site on the day of installation.

These items are essential for our technicians to complete the setup and configuration of your equipment.

Ink

- (1x) TA Resin Ink (700cc Pouch) : **CYAN**
- (1x) TA Resin Ink (700cc Pouch) : **MAGENTA**
- (1x) TA Resin Ink (700cc Pouch) : **YELLOW**
- (1x) TA Resin Ink (700cc Pouch) : **BLACK**
- (2x) TA Resin Ink (700cc Pouch) : **OPTIMIZER**

Initials

Other Supplies

- (1x) TrueVIS TA Resin Ink Maintenance Liquid (4000cc Bottle)
- Media

Important Notes

Please check each box

Please refrain from booking print jobs until you have been trained to operate your new equipment

Initials

General understanding of graphic art programs such as Illustrator, Corel Draw, or Photoshop is a must and basic computer skills are required.

Initials

Please retain the shipping containers in case the printer ever needs to be sent back for service

Initials

Be sure to inspect the packages upon arrival. If damage to either the crate or boxes is present, please take pictures and report immediately to sales@garmentprinterink.com

Initials

By completing this checklist, customer certifies that they have received and understand the installation requirements laid out in this pre-installation checklist.

The customer agrees that all requirements have been met prior to the installation appointment.

If any of these requirements have not been met on the day of your installation by a Garment Printer Ink technician, the printer cannot be installed, and the installation and training will be rescheduled at the customer's expense.

Signature : _____

Printed Name : _____

Business Name : _____

Date : _____



THANK YOU!

For questions on this checklist, please contact
sales@garmentprinterink.com
(631) 858-0114